BROWSERCOMPATIBILITO UIDE FOR PEOPLESOFAPPLICATIONS

(PEOPLETOOLS8.53-8.54)

Title: Browser Compatibility Guide for PeopleSoft Applications

Contributors: PeopleTools Information Development Development teams

Version: 17 (PeopleTools 8)5

Update: 01 (July 201)4

BROWSER COMPATIBILG TUDE PREFACE

Thissection presentanoverview of the following topics:

- x Browsecompatibility.
- x Browser-related documentation.

UNDERSTANDING OWSER COMPATIBILITY

As you work in PeopleSoft application might notice that slight variations exist on the same transaction page depending on the browser that you use. On occasion, some browsers cause your PeopleSoft application to exhibit behaviors that vary from the expected behavior. Some of these differences are very subtle and have no impact on the performance of the application, while others might alter the look and function of PeopleSoft pages. Anomalies in appearance and behavior can occur because the technologies that browsers use to process an present web pages vary among browsers and browser releases. PeopleSoft applications are designed to be compatible with multiple browsers, despite their technological differences. To ensure compatibility, Oracle thoroughly tests PeopleSoft applications browser versions and platform combinations. Developers make every effort to resolve at the resolve that cannot be resolved.

This documed iscusses the identified differences and issues that you might engage unter year People Soft applicative this pecific browser versions. Often, specific People Tools releases address these issues and sometimes more recent browser versions address these issues; this document notes these situations. In addition to noting situative is People Soft application and browser updates correct these issues, this document also proved the around when possible

UNDERSTANDING OWSER PELATED OCUMENTATION

My Oracle Supportion of the Support of the Support

- x Identify certified browsers.
- x Find **5 those** rFTj -0.002 Tc 0.002 T4 [(r)1.87(el)-5.8(e)0.5(t)-3.5(io)e(d)0.5(s)-1.8(u)-5((p)-5(r)p)0.5(d)-2.2(t)]T₃

IDENTIFINGCERTIFIE BROWSERS

Thelocation arformat of browser certification information depends on the PeopleTools release. This table describes the medisoused to find browser certification documentation by PeopleTools release:

| PEOPLETOOLS RELEASE | METHOD USED TO IDENTIFY CERTIFIED BROWSERS |
|---------------------|--|
| 8.49and later | Access the Certification Search parglell@Sand follow the instructions below. For more information this method, \$ResopleSofteopleTools Certifications @bcument IP47587.1 |
| 8.48 and earlier | Access the spreadsheets from the repeasitive certification notes of MOS See the specific eople Tooksertification so tes x People Tools 8.4 Document ID49052.1 x People Tools 8.4 Document ID49107.1 x People Tools 8.4 Document ID49108.1 x People Tools 8.4 Document ID49110.1 x People Tools 8.4 Document ID49113.1 x People Tools 8.4 Document ID49113.1 |

Note. While browser support documentation for PeopleTools versions prior to release 8.49 is throughMO\$ you cannot use the Certification Search pagelet to 8042 terpfication formation.

To identify certified browfsær@eopleTools 8.49 areat lat

- 1. Sign in to Myracl Support atttps:/support.oracle.com
- 2. Selecthe Certifications talthattop of the page. (In the tifications tab is not visible, click the More button, and then click Certifications
- 3. In the Certification Search pagetetPeopleSoft PeopleTools in the Pfiedbluct
- 4. In the Release field, select a release from the list.
- 5. Click the Search button.

The Certification Search Results page

GENERAL ISSUES AFREG MULTIPLE BROWSERS

This section discusses these topics, which apply to multiple browsers:

Χ

EXTERNAL WEBSITE CONTENTS NOT DISPLAYED

Bug 13697465 Bug12754241

When accessing rtain external URL the browser displays no content, or alternative by the rror message.

To prevent "clickjacking" by maliciousathird/ebsites, certain website owners Xusethme-Options headeto prevent their websitetent from being opened within a frame. If your PeopleSoft site attempts to open external content (external URLs) within the PeopleSoft portal header or with the related content frame, you may encounter this situation.

Whether an error message is didpdayno content is displayed is dependent on the browser and version used and how it handles the emoptions header

WORKAROUND

Opertheexternal/vebsite containta nev/orowser/window.

AVAILABILITY OF TOOPYURL(HTT) BUTTON

Starting wiffleopleTools 8.53, tbpycURL to clipboard functio(tlatit)ttputton)whichis displayeid the pagebar,(e)0.5(d)]TJ 0 2.2(,(e)24 Td [(t)-)Tj -0.002 Tc 0.002 etÀs QšUеà_5 #T•âM•5â%àS^ Q wç`Up, x

SUPERFLUOUSTTACHMENT/

Χ

nload by click[(t)- g on its Information Bar

| Gesture Description Purpose |
|-----------------------------|
|-----------------------------|

Two-finger drag

This tablests thenterfacelifferences and explains the rocess differences that with encounter whe now access your People Soft applications unsubje device:

| Interface Difference | Process Explanation |
|--|--|
| Autocomplete results list contains a C button. | lo/setocomplete results do not disappear automatically if no user action occurs addition,uto-complete results do not disappear when you click the Clear button on a search page. |
| | To dismiss an auto-completedowop list: x Tap the Clossetton. x Dismiss theobile devicedeyboard. x Tap another control on the page to remove focus from the field. x Selectan item in the list |
| Drop-down menus and submenus co Close button. | ntainopa down menus and submenus do not disappear automatically without valid user actions. To dismiss the drotopwn menus and submenus: x Tap the Closeutton. |
| | x Tap a navigation healidher, buch as Home. x Selecta menu item. |
| Popup pages contain a Close button. | Popup pages do not disappear automatically without valid user action. |
| | To dismiss the p op page, you must tap the Close button. |
| Mouscover popup pages (referred to a popup pages in this section) apputern you tap the triggering field. | s Mobile devices not recogize mouse over or hover events. To access pour pages, tap thas hunderline titeld. |
| Related content contextual page field up menus contain a Close button. | preplated content contextual page field menus do not disappear automatically without valid user actions. To dismiss the pop menu: |
| | x Tap the Close box. x Tap a navigation header link, such as Home. x Selecta menu item. |

| Interface Difference | PROCESS EXPLANATION |
|---|---|
| pagethat you use to personalize grids | denthe Personalize Column and Sort Order page is the same ispage that usessein PeopleSoftcessible layonatode; it spatoprides a less complex intertains all functionality. |
| Scroll barsre absent from the sides of pages, including: x Transaction pages x Prompt pages x Look up pages x Recent search results pages x Secondary pages x Popup pages x Scrollable grids x Long edit boxes | Mobile devices us to uch based paragm for scrolling. If the data extends beyond the visible aretagothe page to scroll or to pan. |
| Scroll bars do not appreiatin: x Scrollable grids x Long edit boxes x Oversized pagelets | Mobile devices us to uctoased paradigm for scrolling. If you need to scroll or pan the information within the grid, long edition, or pagelesse a two-finger drag. |
| TheTABkey is absefromthekeyboard | The TABkey does not appear moor bile devide by board On iOS devices only tato through fields, the button button the < button, which appeared he keyboard. |

Tool tip (sometimes called use over text) to support for the hover event exists bile devices or alternate texts uch as the text that describes imagels, not appears expected.

TROUBLESHOOTINGSUESASSOCIATEM THCHROMEFOR ANDROID

This section describes how to troubleshoot issues associated with these releases of Chrome for Android:

x Issues common to all versions of Chrome for Android.

ISSUESCOMMON TALLVERSIONS OF TROME FOR NDROID

Identified issues and possible around include:

| ERROR OR CONDITION | EXPLANATION AND WORK-AROUND | |
|---|-----------------------------------|---------|
| Bug18920988 | Observed in PeopleTools 8.54. | |
| When using Chrome for Android on adevibite the rich text editor tool bar is not displayed on edit boxes that have bearbled with the editor. | | ome for |
| | Workaround | |
| | This issueurrentlhas noworkaround | |

TROUBLESHOOTINGSUESASSOCIATE MITH SAFAR FOR OS

This section describes howubleshoot issues associated with these reflected for iOS

- x Issues common to all versions of Safari for iOS.
- x Safari for iOS 5.x

ISSUESCOMMON TALLVERSIONS OF AFARI FOR S

Identified issues and possible around include:

ERROR OR CONDITION

EXPLANATION AND W

DESKTOP BROWSERS

This section discusses:

- x Troubleshooting issues associated with Internet Explorer.
- x Troubleshooting issues associated with SafaXi for OS

TROUBLESHOOTINGSUESASSOCIATED/MTHINTERNET EXPLORER

This section describes how to troubleshoothiatsaurassociated with:

- x All releases of Internet Explorer
- x Internet Explorer 11.x
- x Internet Explorer 10.x
- x Internet Explorer 9.x
- x Internet Explorer 8.x

ISSUESCOMMON TO ALL RELEASES OF TO THE TO SOFT TO THE THE TO THE

Identified issues and possible around include:

| Error or Condition | EXPLANATION OR WORK-AROUND | |
|--|--|---------|
| while clicking quickly on a PeopleSoft | eln some situations whosers are clicking quickly on a page, phatement Explorer will close the socket for the previous request the next request comes in, but before the previous request response is returned to the browser. This can cause the loupdate or the seapange to be displayed. | t's |
| | WORKAROUND Users should wait for the page to finish loading after every | action. |

| ERROR OR CONDITION | EXPLANATION OR WORK-AROUND | |
|--|---|-----------|
| Truncated dropown list box values. | Internet Explores not dynamically resized by list boxes display the longest value in the list. | to |
| | Workaround | |
| | Use Application Designer to open the affected page and madjust the width of the dkown list box to accommodate the longest value. | nanually |
| Pressin@TRL+Jdoes not show the Sys | WORKAROUND | |
| Information page. | PressSHIF™CTRI+Jto display theystem Information page. | |
| The PeopleSoftylboardhortcutpage does notappearwhen pessin@TRLLK, a new tab that duplicates the current page | CTRL+Kis a keyboard shortcut within the browser and there not perform the keyboard starts ut for PeopleSoft applications. | fore does |
| appears instead | WORKAROUND | |
| | There is nwoork-around | |
| | Note. Some versions of Internet Explorer display the Peopl shortcuts page in the original browder totalen a new tab that duplicates the current page. | |
| | | |

INTERNEEXPLORER 1X

Forall versions of PeopleTsupported with Internet Explorer 11 (PeopleTools 8.53.11 and later and PeopleTotols 8.53.11 and

INTERNEEXPLOREROX

Prior to People Tooks 53.06 setting the browse coton patibility mode was reconfidered People Soft application with 53.06. People Tools will automatically discount type allowing users to use People Soft appreciation that the browser itself

PeopleSoft applications support the following versions dentermed £xxplorerde0 the Windows 8 operating system:

- x Tabletversion
 - x Metro modelsing the touch interface, or using the keyboard and mouse.

| Bug 15881697 | Observed in PeopleT6dis. | |
|--|---|-------|
| When you drill down to links or cionnatent SmartNavigation chatre breadcrusnaterenot | Occurs in Desktop and Metro modes on touch nontouch devices. | n and |
| updated. | WORKAROWD | |
| | This issue will be addressed in a future release | e |
| Bug 14303123 | Observed in PeopleT6dis | |
| On thehomepage, white space appears above theader. | h@ccurs on Windows talinfelboth Metro and Desktop modes. | |
| | This issue occurs when you set the IEo103.earbrito Standaschnode | • |
| | Workaround | |
| | Standardsnodes not support foot viewing PeopleSoft applications Windows tablets | |
| | SetInternet Exploitercompatibility odeorquirks modeon Windows tablets | |
| Bug 15870494 | Observed PeopleTools 8.53. | |
| When viewing a pivot grid in a minordalwa | Occurs on touch deviceMetro mode. | |
| filter'sdropdown list is separated from theddwap list box, which appears outside the grid. | Work | |

INTERNE EXPLORE 9 X

You shoulds the browserd tefault configuration when you view your PeopleSoft applications. Compatibilities is not supported.

Identified issuescapossible orkaround include:

| ERROR OR CONDITION | EXPLANATION OR WORK-AROUND | |
|--|--|------------------|
| Bug16860587 In PeopleSoft's accessible ut mode, focus on controls is not shown clear | Focus on a page control is displayed by a purple box the control. In PeopleTools 8.53 and bess ibleayout mode is turned on, focus on page controls is not clearly display. Internet Exploredoes not support focus on input controls compatibility view or quirks mode. Workaround You should set your brows estable default configuration | layed. ols in |
| Bug 13682436 Internet Exploædoes not display the last rows of a grid on a page. | First observerd PeopleTools 8.51. WORKAROUND You should set your browser to use the defaulaticonfig | ur |

| ERROR OR CONDITION | EXPLANATION OR WORK-AROUND |
|---|--|
| Bug 13990295 Closing the browser does not delete browser cache. | This issue occurs in PeopleTools 8.53 when the browser setting "Days to keep pages in history" is set to gre@ter than For security reasons, you must set "Days to keep pages in history" to. |
| | WORKAROUND |
| | To change this setting: |
| | In the browser menu, select Tools, Interiorest.o In the Browsing history section: |
| | Select the "Delete browsing history on exit" option. |
| | b. Click the Delete button and ensure that the following options are tested: |
| | x Temporary Internet Files x Cookies x History x Form data x Passwords x InPrivate Filtering data. |
| | c. Click the Settings button and in the History section, set the "Days to keep pages in history" option to. |
| | 3. Click OK. |

INTERNEEXPLORE 8X

You should us the default browsen figuration when you view your PeopleSoft applications. Compatibilitiew is not supported.

Identified issues and possible around include:

| ERROR OR CONDITION | Explanation or Work-around |
|---|---|
| Bug16860587 In PeopleSoft's assibleayoutmode, focus on radio buttons is not shown clearly. | Focus on a page control is displayed by a purple box around the control. In PeopleTools 8.53, and the sibilitary outmode is turned on, focus on radio buttons is not clearly displayed. Interest Explored does not support focus on input controls in compatibility view or quirks mode. |
| | WORKAROUND |
| | You should set your browser to use the default configuration. |
| Bug14674198 Messages have inconsistent line sp between the last two lines. | When mesages extend across multiple lines, the spacing between the last two lines is larger than the spacing between thacing other lines in the message. |
| | Workaround |
| | Change the PSLONGEDITS (Q) in the system tylesheet. Open the default style sheet. Find the OSDOTBOX style and change the Display property to |
| Bug 13682436 | First observered PeopleTools 8.51. |
| Internet Exploredoes not display the last rows of a grid on a page. | WORKAROUND |
| | You should set your browser to use the default configuration. |

SAFARFOROSX5.X

Identified issues and possible around include:

| ERROR OR CONDITION | EXPLANATION OR WORK-AROUND |
|--|--|
| Bug 13736392 | Observeith PeopleTools 8.53. |
| OnPeopleSoft applicationages, you cannot scroll using the moultee. | This issueocurswith OS X Lio(fi0.7). |
| | Workaround |
| Additionally, in taketosuggest box to be Search Menu field in the down menu you cannot scroll using the morbsel. | Use the vertical scroll barsReropleSoft applicationge or on an auto-suggest box to scroll through the page or the box. |
| Bug 14296410 | Observeith PeopleTools 8.53. |
| When you view a pivot grid chart as | |
| chart, the chart does not display the line that represents the chart values | |
| The enbeddedelp pop-up window do not appear on first clidheembedded help icon. | e \$ he onclic k avaScri p etvent is not triggered by the first click. Multiple clicks are required. |
| | Workaround |
| | Noworkarounœxists at this time. |

EDT HISTORY

| VERSION | Posting Date | COMMENTS | |
|---------|--------------|---|--------|
| 17 | 7/11/2014 | Concurrent with the eneral availability ease of eople Tools 8.54. | |
| | | Removed content for all releases prior to PeopleTools | s 8.53 |

| VERSION | Posting Date | COMMENTS |
|---------|--------------|---|
| 6.1 | 1/5/2004 | Added a new entry for Netscape relating to the Copy URL feature in PeopleTools release 8.44 that applies to all versions of Netscape. |
| 6.0 | 12/17/2003 | Concurrent with theneral availabilityease of PeopleTools 8.44. |
| 5.2 | 7/31/2003 | Concurent with theeneral availabilityease of PeopleTools 8.20. |
| 5.1 | 6/16/2003 | PeopleTools 8.43 release with minimal updates of new browser issues |
| 5.0 | 6/13/2003 | Concurrent with theneral availabilityease of PeopleTools 8.43. |
| 4.0 | 11/26/2002 | Concuent with theeneral availabilityease of PeopleTools 8.42. |